



APPROVED TYRE CHART



APPROVED TYRE CHART



Please select model

America	Rocket III	Thunderbird
Adventurer	Scrambler	Thunderbird Sport
Bonneville	Speed Four	Tiger
Bonneville T100	Speedmaster	Trident
Daytona	Speed Triple	Trophy
Legend TT	Sprint	TT600
	Thruxton	



Warning

Use the recommended tyres ONLY in the combinations given. Do not mix tyres from different manufacturers or mix different specification tyres from the same manufacturers as this may result in loss of motorcycle control and an accident.



APPROVED TYRE CHART



Please select model

Daytona 675

Daytona 650

Daytona 600

Daytona 750

Daytona 900

Daytona 955i up to VIN 132512

Daytona 955i from VIN 132513

Daytona 1000

Daytona 1200

Daytona Super III



Warning

Use the recommended tyres ONLY in the combinations given. Do not mix tyres from different manufacturers or mix different specification tyres from the same manufacturers as this may result in loss of motorcycle control and an accident.



APPROVED TYRE CHART



Please select model

Daytona 955i from VIN 132513 with double sided swinging arm

Daytona 955i from VIN 132513 with single sided swinging arm



Warning

Use the recommended tyres ONLY in the combinations given. Do not mix tyres from different manufacturers or mix different specification tyres from the same manufacturers as this may result in loss of motorcycle control and an accident.



APPROVED TYRE CHART



Please select model

Sprint ST
Sprint RS
Sprint (Carbs)



Warning

Use the recommended tyres **ONLY** in the combinations given. Do not mix tyres from different manufacturers or mix different specification tyres from the same manufacturers as this may result in loss of motorcycle control and an accident.



APPROVED TYRE CHART



Please select model

Sprint ST 1050cc

Sprint ST up to VIN 139276

Sprint ST from VIN 139277



Warning

Use the recommended tyres **ONLY** in the combinations given. Do not mix tyres from different manufacturers or mix different specification tyres from the same manufacturers as this may result in loss of motorcycle control and an accident.



APPROVED TYRE CHART



Please select model

Sprint RS up to VIN 139276

Sprint RS from VIN 139277



Warning

Use the recommended tyres **ONLY** in the combinations given. Do not mix tyres from different manufacturers or mix different specification tyres from the same manufacturers as this may result in loss of motorcycle control and an accident.



APPROVED TYRE CHART



Please select model

Speed Triple 750

Speed Triple 885

Speed Triple 900

Speed Triple 955 up to VIN 141871

Speed Triple 955 from VIN 141872

Speed Triple 1050cc



Warning

Use the recommended tyres **ONLY** in the combinations given. Do not mix tyres from different manufacturers or mix different specification tyres from the same manufacturers as this may result in loss of motorcycle control and an accident.



APPROVED TYRE CHART



Please select model

Tiger 900 up to VIN 71698

Tiger 900 from VIN 71699

Tiger 955cc up to VIN 198874

Tiger 955cc from VIN 198875 &
Tiger 1050 cc



Warning

Use the recommended tyres **ONLY** in the combinations given. Do not mix tyres from different manufacturers or mix different specification tyres from the same manufacturers as this may result in loss of motorcycle control and an accident.



APPROVED TYRE CHART



Please select model

Adventurer up to VIN 71698

Adventurer from VIN 71699



Warning

Use the recommended tyres **ONLY** in the combinations given. Do not mix tyres from different manufacturers or mix different specification tyres from the same manufacturers as this may result in loss of motorcycle control and an accident.



APPROVED TYRE CHART



Please select model

Speedmaster 790cc

Speedmaster 865cc



Warning

Use the recommended tyres **ONLY** in the combinations given. Do not mix tyres from different manufacturers or mix different specification tyres from the same manufacturers as this may result in loss of motorcycle control and an accident.



Trophy 900 & 1200

Manufacturer	Front	Size	Rear	Size	Model Year
Dunlop	K455A	120/70-17	K455A	160/60-18	1991 - 1993
Metzeler	ME1 MBS	120/70-17	ME1 MBS	160/60-18	1991 - 1992
Michelin	A59X	120/70-17	M59X	160/60-18	1991 - 1993
Bridgestone	BT50F	120/70-17	BT50R	160/60-18	1993
Dunlop	D202J	120/70-17	D202G	170/60-17	1994 - 1995
Michelin	A89X	120/70-17	A89X	170/60-17	1994
Bridgestone	BT54F	120/70-17	BT54R	170/60-17	1995 on
Pirelli	MTR03	120/70-17	MTR04	170/60-17	1995 on
Metzeler	MEZ1F	120/70-17	MEZ2	170/70-17	1995 on
Michelin	Macadam 90X	120/70-17	Macadam 90X	170/60-17	1996 on



Warning

Use the recommended tyres ONLY in the combinations given. Do not mix tyres from different manufacturers or mix different specification tyres from the same manufacturers as this may result in loss of motorcycle control and an accident.



APPROVED TYRE CHART



Thunderbird

Manufacturer	Front	Size	Rear	Size	Model Year
Michelin	A89X	110/80-18	M89X	160/80-15	1995 - 1998
Avon	AV27	110/80-18	Elan II RL30	160/80-15	1995 on
Dunlop	K105F	110/80-18	K700J	150/80-15	1995 - 1998
Michelin	Macadam 90X	110/80-18	Macadam 90X	150/80-15	1999 on
Pirelli	MTR03	110/80-18	MTR04	150/80-15	1999 on



Warning

Use the recommended tyres ONLY in the combinations given. Do not mix tyres from different manufacturers or mix different specification tyres from the same manufacturers as this may result in loss of motorcycle control and an accident.



Adventurer up to VIN 71698

Manufacturer	Front	Size	Rear	Size	Model Year
Avon	AV27	110/80-18	Elan II RL30	160/80-16	1996 - 1998
Michelin	A89X	110/80-18	M89X	160/80-16	1996 - 1998
Dunlop	K105F	110/80-18	K700J	160/80-16	1996 - 1998



Warning

Use the recommended tyres ONLY in the combinations given. Do not mix tyres from different manufacturers or mix different specification tyres from the same manufacturers as this may result in loss of motorcycle control and an accident.



APPROVED TYRE CHART



Adventurer from VIN 71699

Manufacturer	Front	Size	Rear	Size	Model Year
Michelin	Macadam 50	100/90-19	Macadam 50	150/80-16	1999 on
Metzeler	ME33	100/90-19	MEZ2	150/80-16	1999 on



Warning

Use the recommended tyres ONLY in the combinations given. Do not mix tyres from different manufacturers or mix different specification tyres from the same manufacturers as this may result in loss of motorcycle control and an accident.



APPROVED TYRE CHART



Bonneville

Manufacturer	Front	Size	Rear	Size	Model Year
Bridgestone	BT45	100/90-19	BT45	130/80-17	2001 on
Metzeler	ME33 Lazer	100/90-19	MEZ2	130/80-17	2001 on



Warning

Use the recommended tyres ONLY in the combinations given. Do not mix tyres from different manufacturers or mix different specification tyres from the same manufacturers as this may result in loss of motorcycle control and an accident.



APPROVED TYRE CHART



Bonneville T100

Manufacturer	Front	Size	Rear	Size	Model Year
Metzeler	ME33 Lazer	100/90-19	MEZ2	130/80-17	2001 on



Warning

Use the recommended tyres ONLY in the combinations given. Do not mix tyres from different manufacturers or mix different specification tyres from the same manufacturers as this may result in loss of motorcycle control and an accident.



APPROVED TYRE CHART



America (up to 2006 model year)

Manufacturer	Front	Size	Rear	Size	Model Year
Bridgestone	L303	3.50-18	G456	170/80-15	2002 on
Metzeler	ME33T	110/80-18	ME880	170/80-15	2002 on

America (from 2007 model year)

Manufacturer	Front	Size	Rear	Size	Model Year
Metzeler	Lasertec	110/90 - 18	Metzeler	ME 880	170/80B 15



Warning

Use the recommended tyres **ONLY** in the combinations given. Do not mix tyres from different manufacturers or mix different specification tyres from the same manufacturers as this may result in loss of motorcycle control and an accident.



APPROVED TYRE CHART



Speed Four

Manufacturer	Front	Size	Rear	Size	Model Year
Bridgestone	BT010	120/70-17	BT010	180/55-17	2002 on
Michelin	Pilot Sport	120/70-17	Pilot Sport	180/55-17	2002 on
Pirelli	Dragon Evo	120/70-17	Dragon Evo	180/55-17	2002 on



Warning

Use the recommended tyres ONLY in the combinations given. Do not mix tyres from different manufacturers or mix different specification tyres from the same manufacturers as this may result in loss of motorcycle control and an accident.



APPROVED TYRE CHART



Speedmaster 790cc

Manufacturer	Front	Size	Rear	Size	Model Year
Metzeler	ME33T	110/80-18	ME880	170/80-15	2003 on



Warning

Use the recommended tyres ONLY in the combinations given. Do not mix tyres from different manufacturers or mix different specification tyres from the same manufacturers as this may result in loss of motorcycle control and an accident.



APPROVED TYRE CHART



Speedmaster 865cc

Manufacturer	Front	Size	Rear	Size	Model Year
Metzeler	Lazertec	110/80-18	ME880	170/80-15	2004 on



Warning

Use the recommended tyres ONLY in the combinations given. Do not mix tyres from different manufacturers or mix different specification tyres from the same manufacturers as this may result in loss of motorcycle control and an accident.



APPROVED TYRE CHART



Daytona 600

Manufacturer	Front	Size	Rear	Size	Model Year
Pirelli	Diablo T 58W	120/70-17	Diablo T 73W	180/55-17	2004 on
Bridgestone	BT012	120/70-17	BT012	180/55-17	2004 on
Metzeler	Sportec M1	120/70-17	Sportec M1	180/55-17	2004 on
Michelin	Pilot Sport	120/70-17	Pilot Sport	180/55-17	2004 on



Warning

Use the recommended tyres ONLY in the combinations given. Do not mix tyres from different manufacturers or mix different specification tyres from the same manufacturers as this may result in loss of motorcycle control and an accident.



APPROVED TYRE CHART



Daytona 650

Manufacturer	Front	Size	Rear	Size	Model Year
Pirelli	Diablo T 58W	120/70-17	Diablo T 73W	180/55-17	2004 on
Bridgestone	BT012	120/70-17	BT012	180/55-17	2004 on
Metzeler	Sportec M1	120/70-17	Sportec M1	180/55-17	2004 on
Michelin	Pilot Sport	120/70-17	Pilot Sport	180/55-17	2004 on



Warning

Use the recommended tyres ONLY in the combinations given. Do not mix tyres from different manufacturers or mix different specification tyres from the same manufacturers as this may result in loss of motorcycle control and an accident.



APPROVED TYRE CHART



Sprint ST up to VIN 139276

Manufacturer	Front	Size	Rear	Size	Model Year
Bridgestone	BT57G	120/70-17	BT57G	180/55-17	1999 - 2001
Michelin	90X	120/70-17	90X	180/55-17	1999 - 2001



Warning

Use the recommended tyres ONLY in the combinations given. Do not mix tyres from different manufacturers or mix different specification tyres from the same manufacturers as this may result in loss of motorcycle control and an accident.



APPROVED TYRE CHART



Sprint RS up to VIN 139276

Manufacturer	Front	Size	Rear	Size	Model Year
Bridgestone	BT020	120/70-17	BT020	180/55-17	2000 - 2001
Michelin	90X	120/70-17	90X	180/55-17	2000 - 2001
Bridgestone	BT57G	120/70-17	BT57G	180/55-17	2000 - 2001



Warning

Use the recommended tyres ONLY in the combinations given. Do not mix tyres from different manufacturers or mix different specification tyres from the same manufacturers as this may result in loss of motorcycle control and an accident.



APPROVED TYRE CHART



Sprint ST 955cc from VIN 139277

Manufacturer	Front	Size	Rear	Size	Model Year
Bridgestone	BT57G	120/70-17	BT57G	180/55-17	2002 on
Bridgestone	BT010	120/70-17	BT010	180/55-17	2002 on
Michelin	100X	120/70-17	100X	180/55-17	2002 on



Warning

Use the recommended tyres ONLY in the combinations given. Do not mix tyres from different manufacturers or mix different specification tyres from the same manufacturers as this may result in loss of motorcycle control and an accident.



APPROVED TYRE CHART



Sprint RS from VIN 139277

Manufacturer	Front	Size	Rear	Size	Model Year
Bridgestone	BT020	120/70-17	BT020	180/55-17	2002 - 2003
Bridgestone	BT010	120/70-17	BT010	180/55-17	2002 on
Michelin	100X	120/70-17	100X	180/55-17	2002 on
Bridgestone	BT57G	120/70-17	BT57G	180/55-17	2003 on



Warning

Use the recommended tyres ONLY in the combinations given. Do not mix tyres from different manufacturers or mix different specification tyres from the same manufacturers as this may result in loss of motorcycle control and an accident.



APPROVED TYRE CHART



TT600

Manufacturer	Front	Size	Rear	Size	Model Year
Bridgestone	BT010	120/70-17	BT010	180/55-17	2000 on
Michelin	Pilot Sport	120/70-17	Pilot Sport	180/55-17	2000 on
Pirelli	Dragon Evo	120/70-17	Dragon Evo	180/55-17	2000 on



Warning

Use the recommended tyres ONLY in the combinations given. Do not mix tyres from different manufacturers or mix different specification tyres from the same manufacturers as this may result in loss of motorcycle control and an accident.



Daytona 955i up to VIN 132512

Manufacturer	Front	Size	Rear	Size	Model Year
Bridgestone	BT56	120/70-17	BT 56	190/50-17	1997 on
Michelin	TX15 Hi Sport	120/70-17	TX25 Hi Sport	190/50-17	1997 on
Metzeler	RCG	120/70-17	RCG	190/50-17	
Michelin	TX15	120/70-17	TX25	190/50-17	1999 on
Pirelli	MTR01 Corsa	120/70-17	MTR02 Corsa	190/50-17	1997 on



Warning

Use the recommended tyres ONLY in the combinations given. Do not mix tyres from different manufacturers or mix different specification tyres from the same manufacturers as this may result in loss of motorcycle control and an accident.



APPROVED TYRE CHART



Speed Triple 885 & 955 up to VIN 141871

Manufacturer	Front	Size	Rear	Size	Model Year
Bridgestone	BT56	120/70-17	BT56	190/50-17	1997 on
Michelin	TX15 Hi Sport	120/70-17	TX25 Hi Sport	190/50-17	1997 on
Metzeler	RCG	120/70-17	RCG	190/50-17	



Warning

Use the recommended tyres ONLY in the combinations given. Do not mix tyres from different manufacturers or mix different specification tyres from the same manufacturers as this may result in loss of motorcycle control and an accident.



APPROVED TYRE CHART



Daytona 955i from VIN 132513 Double sided swinging arm

Manufacturer	Front	Size	Rear	Size	Model Year
Bridgestone	BT010	120/70-17	BT010	180/55-17	2001 on
Michelin	Pilot Sport	120/70-17	Pilot Sport	180/55-17	2001 on
Pirelli	Dragon Evo	120/70-17	Dragon Evo	180/55-17	2001 on
Metzeler	MEZ3	120/70-17	MEZ3	180/55-17	2001 on



Warning

Use the recommended tyres ONLY in the combinations given. Do not mix tyres from different manufacturers or mix different specification tyres from the same manufacturers as this may result in loss of motorcycle control and an accident.



Daytona 955i from VIN 132513 single sided swinging arm

Manufacturer	Front	Size	Rear	Size	Model Year
Bridgestone	BT010	120/70-17	BT010	190/50-17	2002 on
Pirelli	Dragon Evo	120/70-17	Dragon Evo	190/50-17	2002 on
Metzeler	MEZ3	120/70-17	MEZ3	190/50-17	2002 on



Warning

Use the recommended tyres ONLY in the combinations given. Do not mix tyres from different manufacturers or mix different specification tyres from the same manufacturers as this may result in loss of motorcycle control and an accident.



APPROVED TYRE CHART



Speed Triple 955cc from VIN 141872

Manufacturer	Front	Size	Rear	Size	Model Year
Bridgestone	BT010	120/70-17	BT010	190/50-17	2002 on
Pirelli	Dragon Evo	120/70-17	Dragon Evo	190/50-17	2002 on
Metzeler	ME23	120/70-17	ME23	190/50-17	2002 on



Warning

Use the recommended tyres ONLY in the combinations given. Do not mix tyres from different manufacturers or mix different specification tyres from the same manufacturers as this may result in loss of motorcycle control and an accident.



APPROVED TYRE CHART



Thunderbird Sport

Manufacturer	Front	Size	Rear	Size	Model Year
Avon	AV27	120/70-17	AV281	160/70-17	1998 - 1999
Pirelli	Dragon GT	120/70-17	Dragon GT	160/70-17	1998 - 1999
Pirelli	MTR23	120/70-17	MTR24	160/70-17	2000
Metzeler	MEZ4B	120/70-17	MEZ4	160/70-17	2000



Warning

Use the recommended tyres ONLY in the combinations given. Do not mix tyres from different manufacturers or mix different specification tyres from the same manufacturers as this may result in loss of motorcycle control and an accident.



APPROVED TYRE CHART



Legend TT

Manufacturer	Front	Size	Rear	Size	Model Year
Bridgestone	BT57	120/70-17	BT57	160/60-17	1999 on
Michelin	M90X	120/70-17	M90X	160/60-17	1999 on
Michelin	Macadam	120/70-17	Macadam	160/60-17	1999 on



Warning

Use the recommended tyres ONLY in the combinations given. Do not mix tyres from different manufacturers or mix different specification tyres from the same manufacturers as this may result in loss of motorcycle control and an accident.



Tiger 900 up to VIN 71698

Manufacturer	Front	Size	Rear	Size	Model Year
Michelin	T66X	110/80-19	T66X	140/80-17	1993 on
Pirelli	MT60	110/90-19	MT60	140/80-17	1993 & 1994
Dunlop	Trailmax	110/90-19	Trailmax	140/80-17	1994 on
Bridgestone	Trailwing 101	110/80-19	Trailwing 152	140/80-17	1995 on
Pirelli	MT60R	110/80-19	MT80RS	140/80-17	1995 on
Metzeler	Enduro 4	110/80-19	Enduro 4	140/80-17	1996 on
Pirelli	MT80R	110/80-19	MT80R	140/80-17	1996 on



Warning

Use the recommended tyres ONLY in the combinations given. Do not mix tyres from different manufacturers or mix different specification tyres from the same manufacturers as this may result in loss of motorcycle control and an accident.



Tiger 900 from VIN 71699

Manufacturer	Front	Size	Rear	Size	Model Year
Michelin	T66X	180/80-19	T66X	150/70-17	1999 on
Metzeler	Enduro 4	180/80-19	Enduro 4	150/70-17	1999 on



Warning

Use the recommended tyres ONLY in the combinations given. Do not mix tyres from different manufacturers or mix different specification tyres from the same manufacturers as this may result in loss of motorcycle control and an accident.



APPROVED TYRE CHART



Tiger 955cc up to VIN 198874

Manufacturer	Front	Size	Rear	Size	Model Year
Metzeler	Tourance	110/80-19	Tourance	150/70-17	2001 on
Pirelli	MT90	110/80-19	MT90	150/70-17	2001 on
Michelin	T66X	110/80-19	T66X	150/70-17	2001 on
Bridgestone	Trailwing 101 Radial	110/80-19	Trailwing 152 Radial	150/70-17	2001 on



Warning

Use the recommended tyres ONLY in the combinations given. Do not mix tyres from different manufacturers or mix different specification tyres from the same manufacturers as this may result in loss of motorcycle control and an accident.



APPROVED TYRE CHART



Tiger 955cc from VIN 198875

Manufacturer	Front	Size	Rear	Size	Model Year
Michelin	Anakee Radial	110/80-19	Anakee Radial	150/70-17	2004 on
Bridgestone	Trailwing 101 Radial	110/80-19	Trailwing 152 Radial	150/70-17	2004 on

Tiger 1050cc

Manufacturer	Front	Size	Rear	Size	Model Year
Michelin*	Pilot Road S	120/70 ZR17	Pilot Road S	180/55 ZR17	2007 on
Bridgestone**	BT014SF	120/70 ZR17	BT014F	180/55 ZR17	2007 on

* Suitable for ABS and non-ABS bikes

** Suitable for non-ABS bikes only



Warning

Use the recommended tyres **ONLY** in the combinations given. Do not mix tyres from different manufacturers or mix different specification tyres from the same manufacturers as this may result in loss of motorcycle control and an accident.



Daytona Super III

Manufacturer	Front	Size	Rear	Size	Model Year
Dunlop	D364	120/70-17	D364	180/55-17	1994 - 1995
Bridgestone	BT50F	120/70-17	BT50 Radial G	180/55-17	1994 on
Michelin	TX11	120/70-17	TX23A	180/55-17	1994 on
Michelin	TX11	120/70-17	TX23B	180/55-17	1994 - 1995
Pirelli	MTR01	120/70-17	MTR02	180/55-17	1995 on
Pirelli	MTR01 Corsa	120/70-17	MTR02 Corsa	180/55-17	1995 on
Metzeler	MEZ1F	120/70-17	MEZ1	180/55-17	1995 on
Michelin	TX15	120/70-17	TX25	180/55-17	1996 on
Metzeler	MEZ1R	120/70-17	MEZ1R	180/55-17	1996 on



Warning

Use the recommended tyres ONLY in the combinations given. Do not mix tyres from different manufacturers or mix different specification tyres from the same manufacturers as this may result in loss of motorcycle control and an accident.



APPROVED TYRE CHART



Speed Triple 750

Manufacturer	Front	Size	Rear	Size	Model Year
Michelin	90X	120/70-17	90X	160/60-18	1996 - 1997
Pirelli	MTR03 Dragon GT	120/70-17	MTR04 Dragon GT	160/60-18	1996 - 1997



Warning

Use the recommended tyres ONLY in the combinations given. Do not mix tyres from different manufacturers or mix different specification tyres from the same manufacturers as this may result in loss of motorcycle control and an accident.



Speed Triple 900

Manufacturer	Front	Size	Rear	Size	Model Year
Michelin	TX11	120/70-17	TX23A	180/55-17	1994 on
Bridgestone	BT50F	120/70-17	BT50 Radial G	180/55-17	1994 on
Michelin	TX11	120/70-17	TX23B	180/55-17	1994 - 1995
Dunlop	D203 Sportmax	120/70-17	D203 Sportmax	180/55-17	1995 on
Michelin	TX15	120/70-17	TX25	180/55-17	1996
Pirelli	MTR01 Corsa	120/70-17	MTR02 Corsa	180/55-17	1994 - 1996
Metzeler	MEZ12	120/70-17	MEZ1R	180/55-17	1994 - 1996
Pirelli	MTR01	120/70-17	MTR02	180/55-17	1994 - 1996
Metzeler	MEZ1	120/70-17	MEZ1	180/55-17	1994 - 1996



Warning

Use the recommended tyres ONLY in the combinations given. Do not mix tyres from different manufacturers or mix different specification tyres from the same manufacturers as this may result in loss of motorcycle control and an accident.



APPROVED TYRE CHART



Daytona 750

Manufacturer	Front	Size	Rear	Size	Model Year
Michelin	TX11	120/70-17	TX23	160/60-18	1991 - 1992
Dunlop	K455F	120/70-17	K455A	160/60-18	1991 - 1992



Warning

Use the recommended tyres ONLY in the combinations given. Do not mix tyres from different manufacturers or mix different specification tyres from the same manufacturers as this may result in loss of motorcycle control and an accident.



APPROVED TYRE CHART



Daytona 1000

Manufacturer	Front	Size	Rear	Size	Model Year
Michelin	TX11	120/70-17	TX23	160/60-18	1991 - 1992
Dunlop	K455F	120/70-17	K455A	160/60-18	1991 - 1992



Warning

Use the recommended tyres ONLY in the combinations given. Do not mix tyres from different manufacturers or mix different specification tyres from the same manufacturers as this may result in loss of motorcycle control and an accident.



Daytona 900

Manufacturer	Front	Size	Rear	Size	Model Year
Bridgestone	BT50F	120/70-17	BT50R	160/60-18	1993
Bridgestone	BT50F	120/70-17	BT50R Radial G	180/55-17	1994 on
Dunlop	K455FG	120/70-17	K455A	160/60-18	1993
Michelin	TX11	120/70-17	TX23A	180/55-17	1994
Michelin	TX11	120/70-17	TX23B	180/55-17	1994 - 1995
Dunlop	D364	120/70-17	D364	180/55-17	1994 - 1995
Michelin	TX11A	120/70-17	TX23A	180/55-17	1995 on
Pirelli	MTR01	120/70-17	MTR02	180/55-17	1995
Pirelli	MTR01 Corsa	120/70-17	MTR02 Corsa	180/55-17	1995
Metzeler	MEZ1F	120/70-17	MEZ1	180/55-17	1995
Michelin	TX15	120/70-17	TX25	180/55-17	1996 on
Metzeler	MEZiR	120/70-17	MEZ1R	180/55-17	1996 on



Warning

Use the recommended tyres ONLY in the combinations given. Do not mix tyres from different manufacturers or mix different specification tyres from the same manufacturers as this may result in loss of motorcycle control and an accident.



Daytona 1200

Manufacturer	Front	Size	Rear	Size	Model Year
Bridgestone	BT50F	120/70-17	BT50R	160/60-18	1993
Bridgestone	BT50F	120/70-17	BT50R Radial G	180/55-17	1994 on
Dunlop	K455FG	120/70-17	K455A	160/60-18	1993
Michelin	TX11	120/70-17	TX23A	180/55-17	1994
Michelin	TX11	120/70-17	TX23B	180/55-17	1994 - 1995
Dunlop	D364	120/70-17	D364	180/55-17	1994 - 1995
Michelin	TX11A	120/70-17	TX23A	180/55-17	1995 on
Pirelli	MTR01	120/70-17	MTR02	180/55-17	1995
Pirelli	MTR01 Corsa	120/70-17	MTR02 Corsa	180/55-17	1995
Metzeler	MEZ1F	120/70-17	MEZ1	180/55-17	1995
Michelin	TX15	120/70-17	TX25	180/55-17	1996 on
Metzeler	MEZ1R	120/70-17	MEZ1R	180/55-17	1996 on



Warning

Use the recommended tyres ONLY in the combinations given. Do not mix tyres from different manufacturers or mix different specification tyres from the same manufacturers as this may result in loss of motorcycle control and an accident.



APPROVED TYRE CHART



Rocket III & Rocket III Classic

Manufacturer	Front	Size	Rear	Size	Model Year
Metzeler	ME880	150/80-17	ME880	240/50-16	2005 on
Bridgestone		150/18-17		240/50-16	2005 on



Warning

Use the recommended tyres ONLY in the combinations given. Do not mix tyres from different manufacturers or mix different specification tyres from the same manufacturers as this may result in loss of motorcycle control and an accident.



APPROVED TYRE CHART



Rocket III Classic

Manufacturer	Front	Size	Rear	Size	Model Year
Metzeler	ME880	150/80-17	ME880	240/50-16	2005 on
Bridgestone		150/18-17		240/50-16	2005 on



Warning

Use the recommended tyres ONLY in the combinations given. Do not mix tyres from different manufacturers or mix different specification tyres from the same manufacturers as this may result in loss of motorcycle control and an accident.



APPROVED TYRE CHART



Sprint ST 1050cc

Manufacturer	Front	Size	Rear	Size	Model Year
Bridgestone	BT020 NN	120/70-17	BT020 NN	180/55-17	2005 on
Metzeler	Roadtec Z6	120/70-17	Roadtec Z6	180/55-17	2005 on



Warning

Use the recommended tyres ONLY in the combinations given. Do not mix tyres from different manufacturers or mix different specification tyres from the same manufacturers as this may result in loss of motorcycle control and an accident.



APPROVED TYRE CHART



Speed Triple 1050cc

Manufacturer	Front	Size	Rear	Size	Model Year
Michelin	Pilot Power	120/17-17	Pilot Power	180/55-17	2005 on
Bridgestone	BT14	120/70-17	BT14	180/55-17	2005 on



Warning

Use the recommended tyres ONLY in the combinations given. Do not mix tyres from different manufacturers or mix different specification tyres from the same manufacturers as this may result in loss of motorcycle control and an accident.



APPROVED TYRE CHART



Thruxton

Manufacturer	Front	Size	Rear	Size	Model Year
Metzeler	ME33	100/90-18	MEZ2	130/80-17	2005 on



Warning

Use the recommended tyres ONLY in the combinations given. Do not mix tyres from different manufacturers or mix different specification tyres from the same manufacturers as this may result in loss of motorcycle control and an accident.



Daytona 675

Manufacturer	Front	Size	Rear	Size	Model Year
Pirelli	Dragon Super Corsa Pro	120/70ZR17	Dragon Super Corsa Pro	180/55ZR17	2006 on
Michelin	Pilot Power	120/70ZR17	Pilot Power B	180/55ZR17	2006 on
Bridgestone	BT014 G	120/70ZR17	BT014 G	180/55ZR17	2006 on



Warning

Use the recommended tyres ONLY in the combinations given. Do not mix tyres from different manufacturers or mix different specification tyres from the same manufacturers as this may result in loss of motorcycle control and an accident.



Trident 750 / 900

Manufacturer	Front	Size	Rear	Size	Model Year
Dunlop	K455F	120/70-17	K455A	160/80-18	1991 - 1995
Michelin	A59X	120/70-17	M59X	160/80-18	1991 on
Pirelli	MTR03 Dragon GT	120/70-17	MTR04 Dragon GT	160/80-18	1991 on
Bridgestone	BT50F	120/70-17	BT50R	160/80-18	1993 on
Michelin	90X	120/70-17	90X	160/80-18	1993 on



Warning

Use the recommended tyres ONLY in the combinations given. Do not mix tyres from different manufacturers or mix different specification tyres from the same manufacturers as this may result in loss of motorcycle control and an accident.



Sprint / Sport / Executive

Manufacturer	Front	Size	Rear	Size	Model Year
Bridgestone	BT50F	120/70-17	BT50R	160/80-18	1993 - 1994
Dunlop	K455FG	120/70-17	K455A	160/80-18	1993 - 1994
Michelin	A59X	120/70-17	M59X	160/80-18	1993 - 1994
Pirelli	MTR03 Dragon GT	120/70-17	MTR04 Dragon GT	160/80-18	1993 - 1994
Michelin	90X	120/70-17	90X	160/80-18	1993 - 1994
Dunlop	D202J	120/70-17	D202G	170/60-17	1995 - 1998
Bridgestone	BT54F	120/70-17	BT54R	170/60-17	1995 - 1998
Pirelli	MTR03	120/70-17	MTR04	170/60-17	1996 - 1998
Metzeler	MEZ1F	120/70-17	MEZ2	170/60-17	1995
Bridgestone	BT57F	120/70-17	BT57R	170/60-17	1996 - 1998
Metzeler	MEZ2	120/70-17	MEZ2	170/60-17	1996 - 1998
Michelin	Macadam 90X	120/70-17	Macadam 90X	170/60-17	1996 - 1998



Warning

Use the recommended tyres ONLY in the combinations given. Do not mix tyres from different manufacturers or mix different specification tyres from the same manufacturers as this may result in loss of motorcycle control and an accident.



APPROVED TYRE CHART



Scrambler

Manufacturer	Front	Size	Rear	Size	Model Year
Bridgestone	TW101	100/90-19	TW42	130/80-17	2005 on



Warning

Use the recommended tyres ONLY in the combinations given. Do not mix tyres from different manufacturers or mix different specification tyres from the same manufacturers as this may result in loss of motorcycle control and an accident.